Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S34 3	7	watson-watts	USPAT	OR	ON	2006/09/27 20:14
S34 4	69	torres-mar\$.xa.	USPAT	OR	ON	2006/09/27 19:57
S34 5	49	watson-watts	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:57
S34 6	0	("2006/0052112").URPN.	USPAT	OR	ON	2006/09/27 20:14
S34 7	23	watson-watts and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:27
S34 8	10181	direction near find\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:27
S34 9	131	455/456.1-457.ccls. and direction near find\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 21:01
S35 0	0	455/456.1-457.ccls. and direction near find\$3 and display near angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:33
S35 1	0	455/456.1-457.ccls. and direction near find\$3 and display near (heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/28 20:17
S35 2	75	direction near find\$3 and display near (heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:34
S35 3	142	direction near find\$3 and display near2 (heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:34

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	166	455/456.1-457.ccls. and transmit\$4 near3 (delay\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 19:16
L3	2	455/456.1-457.ccls. and transmit\$4 near3 (delay\$3) with random	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 19:16
L4	2	455/456.1-457.ccls. and transmit\$4 near3 (delay\$3) with random\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2006/09/30 19:57
L5	7	455/456.1-457.ccls. and dc near level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 20:17
L6	97	455/456.1-457.ccls. and antenna near3 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 20:17
L7	70	455/456.1-457.ccls. and antenna near2 switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON ,	2006/09/30 20:17
L8	39	455/456.1-457.ccls. and antenna near switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 20:36
L9	12	455/456.1-457.ccls. and filter near3 (phone telephone)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/30 20:38

	Y		·			1
S35 4	195	direction near find\$3 and display near3 (heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:34
S35 5	79	"342"/\$.ccls. and direction near find\$3 and display near3 (heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:42
S35 6	194	"342"/\$.ccls. and direction near find\$3 and display\$3 near3 (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:43
S35 7	15	"455"/\$.ccls. and direction near find\$3 and display\$3 near3 (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:46
S35 8	0	"455"/\$.ccls. and child near locator and display\$3 near3 (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:46
S35 9	0	child near locator and display\$3 near3 (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:46
S36 0	0	child near2 locator and display\$3 near3 (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:47
S36 1	52	child near2 locator and (bearing heading angle degree)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:47
S36 2	6	watson-watts and db	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 20:58
S36 3	2212	455/456.1-457.ccls. and (send\$4 transmit\$4) near2 (position location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/09/27 21:03

S36 4	506	455/456.1-457.ccls. and (send\$4 transmit\$4) near2 (position location) near3 (wireless mobile cordless) near (telephone phone	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2006/09/28 19:57
		device terminal equipment station)	DERWENT			